Index to Volume 40, 1983

A

Aatola S *see* Starck J *et al*
Åberg T *see* Hillerdal G *et al*
Abortions, spontaneous, and reproductive selective mechanisms, rubber and leather industry, Finland, 81
Addison J *see* Bolton R E *et al*
Agrell A *see* Hogstedt C *et al*
Alcohol, effect on kinetics of mendelic acid excretion, exposure to styrene vapour, 75
Alderson M R *see* Rushton L and Alderson M R
Rushton L *et al*
Alexandrescu R *see* Niculescu T *et al*
Allergic contact dermatitis due to urethane acrylate in ultraviolet cured inks, 241
Allergy to laboratory animals, retrospective and prospective study, 442
Aluminium in blood and urine of industrially exposed workers, 301
Amines, possible causative agents in development of bronchial hyperreactivity in workers manufacturing polyurethanes from isocyanates, 251
Aminolaevulinic acid dehydratase, delta, inhibition by lead, mechanisms, and its restoration by zinc and dithiothreitol, 61
Amosite, dust exposure and mortality, American textile manufacture, 368
—— fibres, UICC, inhaled by rats, overload hypothesis for pulmonary clearance, 264
—— *see also* Asbestos
Andersen N T *see* Døssing M *et al*
Andersson N *see* Cockcroft A *et al*
Angiosarcoma of liver and spleen in scrap metal merchant, 113
Antipyrine clearance during experimental and occupational exposure to toluene, 466
—— —— during occupational exposure to styrene, 224
Aoyama M *see* Takeuchi Y *et al*
Apostoli P *see* Brugnone F *et al*
Arginase activity, erythrocyte, as indicator of lead exposure, 106
Arsenate, effects of chronic exposure to on cardiovascular function of rats, 280
Asbestos cement factory, fibre type and concentration in lungs of workers 375
—— —— —— mortality among long-term employees, Ontario, 138
—— dust exposure and mortality, American chrysotile textile plant, 361, 368
—— exposure and tobacco consumption in lung cancer, 3 year prospective study, 380
—— fibres, airborne, size and shape, mines and mills, 273
—— —— amphibole, distribution and characteristics, lung of insulation workers, 45
—— mortality of workers manufacturing friction materials using, 1
—— -related mesothelioma, factors discriminating between pleural and peritoneal sites, 145
—— used in producing friction materials, environmental history of factory producing, 8
Audunsson G *see* Belin L *et al*
Axelson O *see* Edling C and Axelson O

B

Baelum J *see* Døssing M *et al*
Barton D G *see* Butrous G S *et al*
Battery workers, cadmium in blood and urine related to present and past exposure, 420
—— —— nickel-cadmium, mortality study by method of regression models in life tables, 293
Baverstock K F: Hanford radiation study: notes and miscellanea, 115
Beckett S T *see* Bolton R E *et al*
Belin L, Wass U, Audunsson G, and Mathiasson L: Amines: possible causative agents in the development of bronchial hyperreactivity in workers manufacturing polyurethanes from isocyanates, 251
Bellomi M *see* Brugnone F *et al*
Berode M *see* Fawer R F *et al*
Berrill K R *see* Purser D A *et al*
Berry G and Newhouse M L: Mortality of workers manufacturing friction materials using asbestos, 1
Beryllium, long-term follow-up of workers, 13
Bevan C *see* Legg S J *et al*
Bexton R S *see* Butrous G S *et al*
Bird D J *see* Davies G E *et al*
Blank C E, Cooke P, and Potter A M: Investigations for genotoxic effects after exposure to crude 2,4,5,-trichlorophenol, 87
Bodin L *see* Hogstedt C *et al*
Bolton R E, Vincent J H, Jones A D, Addison J, and Beckett ST: An overload hypothesis for pulmonary clearance of UICC amosite fibres inhaled by rats, 264
Bond G G, Ott M G, Brenner F E, and Cook R R: Medical and morbidity surveillance findings among employees potentially exposed to TCDD, 318
Book reviews:
Bennett P B and Elliott D H *editors:* The physiology and medicine of diving, 3rd ed. 1982, 356
Doll R and Peto R: The causes of cancer 1981, 235
Fox J, Gee D, Jones D, and Leon D: Cancer and work. Making sense of worker's experience 1982, 235
Maibach H I and Gellin G A *editors:* Occupational and industrial dermatology, 1982, 474
Boscolo P *see* Carmignani M *et al*
Botha V *see* Niculescu T *et al*
Bovenzi M *see* Petronio L and Bovenzi M
Brenner F E *see* Bond G G *et al*
Briggs J L Smith- *see* Smith-Briggs J L
Bronchitis, chronic, pneumoconiosis and emphysema in coal workers, quantified pathology, 258
Browne K and Smither W J: Asbestos-related mesothelioma: factors discriminating between pleural and peritoneal sites, 145
Brugnone F, Perbellini L, Apostoli P, Bellomi M, and Caretta D: Isopropanol exposure: environmental and biological monitoring in a printing works, 160
Burrows G E *see* Davies G E *et al*
Bus garages, London Transport Executive and Chiswick Works, maintenance workers, epidemiological survey, 340
Butrous G S, Bexton R S, Barton D G, Male J C, and Camm A J: Interference with the pacemakers of two workers at electricity substations, 462
Byssinosis and serum IgE concentrations, textile workers, Italy, 39

C

Cadmium in blood and urine related to present and past exposure, alkaline battery factory, 420
—— occupational exposure to, and metallothionein, 305
Camm A J *see* Butrous G S *et al*
Campbell C K *see* Hay R J *et al*

Cancer incidence in electronics industry, use of Swedish Cancer Environment Registry, 188
—— risks in optical manufacturing industry, 177
—— *see also* specific tumours
Carbon disulphide, chronic peripheral neuropathy in workers with previous exposure to, 209
Caretta D *see* Brugnone F *et al*
Carmignani M, Boscolo P, and Iannaccone A: Effects of chronic exposure to arsenate on the cardiovascular function of rats, 280
Castro J E *see* Soutar C A *et al*
China clay workers, Cornish, pneumoconiosis in, 131
Chloromethyl methyl ether manufacture, lung cancer associated with, two UK factories, 384
Chromium pigments, occurrence of lung cancer in workers producing, 71
Chrysotile textile plant, dust exposure and mortality 361, 368
—— *see also* Asbestos
Clayton Y M *see* Hay R J *et al*
Coalworkers, dermatophytosis in, and in dermatological outpatients, comparative study, 353
—— emphysema, pneumoconiosis and chronic bronchitis in, quantified pathology, 258
—— pneumoconiosis, histocompatibility antigens, 34
—— simple pneumoconiosis, lung mechanics, 28
Cockcroft A, Lyons J P, Andersson N, and Saunders M J: Prevalence and relation to underground exposure of radiological irregular opacities in South Wales coal workers with pneumoconiosis, 169
Coffee dusts, pharmacological characterisation of extracts, 193
Concrete reinforcement workers, knee degeneration in, 216
Cook R R *see* Bond G G *et al*
Cooke P *see* Bland C E *et al*
Corsi G, Maestrelli P, Picotti G, Manzoni S, and Negrin P: Chronic peripheral neuropathy in workers with previous exposure to carbon disulphide, 209
Cotes J E, Gilson J C, McKerrow C B, and Oldham P D: A long-term follow-up of workers exposed to beryllium, 13
—— *see* Legg S J *et al*
Cotton R *see* Davies D and Cotton R
Cotton workers, byssinosis and serum Ige, 39
Coutts I *see* Soutar C A *et al*
Crocidolite, dust exposure and mortality, American textile manufacture, 368
—— *see also* Asbestos
Cuthbert O D and Gordon M F: Ten year follow up of farmers with farmer's lung, 173

D

Davies D and Cotton R: Mica pneumoconiosis, 22
Davies G E, Thompson A V, Niewola Z, Burrows G E, Teasdale E L, Bird D J, and Phillips D A: Allergy to laboratory animals: a retrospective and a prospective study, 442
De Ribaupierre Y *see* Fawer R F *et al*
Dermatitis, contract, allergic, due to urethane acrylate in ultraviolet cured inks, 241
Dermatophytosis in coal miners and dermatological outpatients, comparative study, 353
Dodi I A *see* Soutar C A *et al*
Dölling B *see* Ekenvall L *et al*
Døssing M: Antipyrine clearance during occupational exposure to styrene, 224
—— Baelum J, Hansen S H, Lundqvist G R, and Andersen N T: Urinary hippuric acid and orthocresol excretion in man during experimental exposure to toluene, 470
—— —— and Lundqvist G R: Antipyrine clearance during experimental and occupational exposure to toluene, 466
Douglas J S *see* Zuskin E *et al*
Dufficy B L *see* Skidmore J W and Dufficy B L
Dumitru R *see* Niculescu T *et al*
Duncan P G *see* Zuskin E *et al*
Dust exposure and mortality, American chrysotile textile plant, 361, 368
—— —— amosite and crocidolite, 368

E

Easterbrook P *see* Fawcett F J *et al*
Ebbinghaus L *see* Ekenvall L *et al*
Edling C and Axelson O: Quantitative aspects of radon daughter exposure and lung cancer in underground miners, 182
Ekenvall L, Dölling B, Gothe C-J, Ebbinghaus L, Von Stedingk L-V, and Wasserman J: Single cell protein as an occupational hazard, 212
Electricity workers with pacemakers, interference, 462
Electronics industry, cancer incidence, use of Swedish Cancer Environment Registry, 188
Emphysema, pneumoconiosis and chronic bronchitis in coal workers, quantified pathology, 258
England B *see* Falck F Y *et al*
Enterline P E *see* John L R *et al*
Environmental history of factory producing friction material, 8
Erythrocyte membranes, effect of lead on, 220

F

Falck F Y, Fine L J, Smith R G, Garvey J, Schork A, England B, McClatchey K D, and Linton J: Metallothionein and occupational exposure to cadmium, 305
Färkkilä M *see* Futatsuka M *et al*
Starck J *et al*
Farmers' lung, ten year follow up, 173
Fawcett F J, Easterbrook P, and Smerdon G R: Angiosarcoma of liver and spleen in a scrap metal merchant: notes and miscellanea, 113
Fawer R F, De Ribaupierre Y, Guillemin M P, Berode M, and Lob M: Measurement of hand tremor induced by industrial exposure to metallic mercury, 204
Fibre type and concentration in lungs of workers in asbestos cement factory, 375
Fine L J *see* Falck F Y *et al*
Finkelstein M M: Mortality among long-term employees of an Ontario asbestos-cement factory, 138
Fluorosis, skeletal, reversibility, 456
Friction materials, incorporating asbestos, environmental history of factory producing, 8
—— —— mortality of workers manufacturing using asbestos, 1
Fry F A, Smith-Briggs J L, and O'Riordan M C: Skeletal lead-210 as an index of exposure to radon decay products in mining, 58
Fry J S *see* McDonald A D *et al*
Fukumoto K, Karai I, and Horiguchi S: Effect of lead on erythrocyte membranes, 220
—— —— Nishikawa Y, and Horiguchi S: Erythrocyte arginase activity as an indicator of lead exposure, 106
Futatsuka M, Pyykkö I, Färkkilä M, Korhonen O, and Starck J P: Blood pressure, flow, and peripheral resistance of digital arteries in vibration syndrome, 434

G

Garrard C S *see* Gerrity T R *et al*
Garvey J *see* Falck F Y *et al*
Gauld S *see* Soutar C A *et al*
Genotoxic effects after exposure to crude 2,4,5-trichlorophenol, 87
Gerrity T R, Garrard C S, and Yeates D B: A mathematical model of particle retention in the air-spaces of human lungs, 121
Gilson J C *see* Cotes J E *et al*
Glick M *see* Leigh J *et al*
Gold miners, complement factors in workers exposed to, 111
Goldberg J *see* Smith P J *et al*
Gompertz D *see* Wilson H K *et al*

GORDON M F *see* CUTHBERT O D and GORDON M F
GÖTHE C-J *see* EKENVALL L *et al*
GRANDJEAN P and THOMSEN G: Reversibility of skeletal fluorosis, 456
GUILLEMIN M P *see* FAWER R F *et al*
GYLSETH B, MOWÉ G, and WANNAG A: Fibre type and concentration in the lungs of workers in an asbestos cement factory, 375
GYNTELBERT G *see* KIRKBY H *et al*

H

Hair, lead concentration, relationship to occupational exposure, 67
Hand tremor, induced by industrial exposure to metallic mercury, measurement, 204
—— *see also* Vibration
HANE M *see* HOGSTEDT C *et al*
Hanford radiation study, 115
HÄNNINEN K *see* WICKSTRÖM G *et al*
HANSEN S H *see* DØSSING M *et al*
Harvard School of Public Health, courses, 33
HASSLER E, LIND B, and PISCATOR M: Cadmium in blood and urine related to present and past exposure. A study of workers in an alkaline battery factory, 420
HAY R J, CAMPBELL C K, WINGFIELD R, and CLAYTON Y M: A comparative study of dermatophytosis in coal miners and dermatological outpatients, 353
HEMMINKI K, NIEMI M-L, KYYRÖNEN P, KILPIKARI I, and VAINIO H: Spontaneous abortions and reproductive selection mechanisms in the rubber and leather industry in Finland, 81
n-Hexane and methyl ethyl ketone, combined effects, experimental study, 199
HILLERDAL G, KARLÉN E, and ÅBERG T: Tobacco consumption and asbestos exposure in patients with lung cancer: a three year prospective study, 380
Hippuric acid, urinary, and orthocresol excretion during experimental exposure to toluene, 470
HISANAGA N, *see* TAKEUCHI Y *et al*
Histocompatibility antigens in coal miners with pneumoconiosis, 34
HOGSTEDT C, HANE M, AGRELL A, and BODIN L: Neuropsychological test results and symptoms among workers with well-defined long-term exposure to lead, 99
HOLMES A *see* MORGAN A and HOLMES A
HORIGUCHI S *see* FUKUMOTO K *et al*
HWANG C-Y: Size and shape of airborne asbestos fibres in mines and mills, 273

I

IANNACCONE A *see* CARMIGNANI M *et al*
Immunoglobulin E concentrations and byssinosis in textile workers, Italy, 39
Information section, MEDLARS, 117, 237, 357, 475
Insulation worker, distribution and characteristics of amphibole asbestos fibres in, 45
Isopropanol exposure, environmental and biological monitoring in a printing works, 160
ITOH N *see* MIYASHITA K *et al*
IWATA H *see* MIYASHITA K *et al*
TAKEUCHI Y *et al*

J

JAKUBOVIC H R *see* NETHERCOTT J R *et al*
JOHN L R, MARSH G M, and ENTERLINE P E: Evaluating occupational hazards using information known only to employers: a comparative study, 346
JONES A D *see* BOLTON R E *et al*
JONES R D *see* McCARTHY T B and JONES R D

K

KALLIOMÄKI K *see* KALLIOMÄKI P-L *et al*
KALLIOMÄKI P-L, LAKOMAA E, KALLIOMÄKI K, KIILUNEN M, KIVELÄ R and VAARANEN V: Stainless steel manual metal arc welding fumes in rats, 229
KARAI I *see* FUKUMOTO K *et al*
KARLÉN E *see* HILLERDAL G *et al*
KASAMATSU T *see* MIYASHITA K *et al*
KIILUNEN M *see* KALLIOMÄKI P-L *et al*
KILPIKARI I *see* HEMMINKI K *et al*
KING E *see* WILLIAMS M K *et al*
KIRKBY H, NIELSEN C J, NIELSEN V K, and GYNTELBERG F: Subjective symptoms after long term lead exposure in secondary lead smelting workers, 314
KITOH J *see* TAKEUCHI Y *et al*
KIVELÄ R *see* KALLIOMÄKI P-L *et al*
Knee degeneration in concrete reinforcement workers, 216
KORHONEN O *see* FUTATSUKA M *et al*
STARCK J *et al*
KUNUGI Y *see* SAKAI T *et al*
KYYRÖNEN P *see* HEMMINKI K *et al*

L

Laboratory animals, allergy to, retrospective and prospective study, 442
LAKOMAA E *see* KALLIOMÄKI P-L *et al*
LANGÅRD S and VIGANDER T: Occurrence of lung cancer in workers producing chromium pigments, 71
LANGOLF G D *see* SMITH P J *et al*
Lead, blood levels, and symptoms of lead absorption, 285
—— concentration in hair and occupational exposure, relationship between 67
—— distribution in body fluids after ingestion of soft solder, 51
—— effect on erythrocyte membranes, 220
—— exposure, effects on peripheral nerve in cynomolgus monkey, 402
—— ——, erythrocyte arginase activity as indicator, 106
—— —— long term, in secondary lead smelting workers, subjective symptoms, 314
—— —— —— well-defined, neuropsychological test results, 99
—— -210, skeletal, as an index of exposure to radon decay products in mining, 58
Leather and rubber industry, spontaneous abortions and reproductive selection mechanisms, Finland, 81
LEGG S J, COTES J E and BEVAN C: Lung mechanics in relation to radiographic category of coalworkers' simple pneumoconiosis, 28
LEIGH J, OUTHRED K G, MCKENZIE H I, GLICK M, and WILES A N: Quantified pathology of emphysema, pneumoconiosis, and chronic bronchitis in coal workers, 258
LIDUMS V *see* SJÖGREN B *et al*
LIND B *see* HASSLER E *et al*
LINTON J *see* FALCK F Y *et al*
Liver and spleen, angiosarcoma, scrap metal merchant, 113
LOB M *see* FAWER R F *et al*
LOVE R G: Lung function studies before and after a work shift, 153
LUNDBERG I *see* SJÖGREN B *et al*
LUNDHOLM M and RYLANDER R: Work related symptoms among sewage workers, 325
LUNDQVIST G R *see* DØSSING M *et al*
Lung cancer associated with chloromethyl ether manufacture, two UK factories, 384
—— —— and mesothelioma among long-term employees of an Ontario asbestos-cement factory, 138
—— —— occurrence in workers producing chromium pigments, 71
—— —— in underground miners, quantitative aspects of radon daughter exposure, 182
—— function studies before and after a work shift, 153

—— mechanics and coalworkers' simple pneumoconiosis, 28
—— retention of particles, mathematical model, 121
Lyons J P *see* Cockcroft A *et al*

M

McCallum R I, Woolley V, and Petrie A: Lung cancer associated with chloromethyl methyl ether manufacture: an investigation at two factories in the United Kingdom, 384
McCarthy T B and Jones R D: Industrial gassing poisonings due to trichlorethylene, perchlorethylene, and 1-1-1 trichloroethane, 1961-80, 450
McClatchey K D see Falck F Y *et al*
McDonald A D, Fry J S, Woolley A J, and McDonald J C: Dust exposure and mortality in an American chrysotile textile plant, 361
—— —— —— —— Dust exposure and mortality in an American factory using chrysotile, amosite, and crocidolite in mainly textile manufacture, 368
McDonald J C see McDonald A D *et al*
McKenzie H I see Leigh J *et al*
McKerrow C B see Cotes J E *et al*
Maestrelli P see Corsi G *et al*
Majeed S K see Purser D A *et al*
Male J C see Butrous G S *et al*
Malloy C R see Manton W I and Malloy C R
Mandelic acid excretion, effect of alcohol on kinetics, exposure to styrene vapour, 75
Manolescu N see Niculescu T *et al*
Manton W I and Malloy C R: Distribution of lead in body fluids after ingestion of soft solder, 51
Manzoni S see Corsi G *et al*
Marsh G M see John L R *et al*
Mathiasson L see Belin L *et al*
Mattsson T see Wickström G *et al*
May G: Tetrachlorodibenzodioxin: notes and miscellanea, 116
Medlars, Information section, 117, 237, 357, 475
Memory, short term effects of occupational exposure to elemental mercury, 413
Mercury, elemental, effects of occupational exposure to on short term memory, 413
—— metallic, measurement of hand tremor induced by industrial exposure, 204
Mesothelioma, asbestos-related, factors discriminating between pleural and peritoneal sites, 145
—— and lung cancer among long-term employees of an Ontario asbestos-cement factory, 138
—— *see also* Asbestos
Metallothionein and occupational exposure to cadmium, 305
Methyl ethyl ketone, and *n*-hexane, combined effects, experimental study, 199
Mica pneumoconiosis, two cases, 22
Miller K: Complement factors in workers exposed to silicosis: notes and miscellanea, 111
Miyashita K, Tomomi S, Itoh N, Kasamatsu T, and Iwata H: Epidemiological study of vibration syndrome in response to total hand-tool operating time, 92
Morgan A and Holmes A: Distribution and characteristics of amphibole asbestos fibres, measured with the light microscope, in the left lung of an insulation worker, 45
Mortality, workers manufacturing friction materials using asbestos (1942-1980), 1
Mowé *see* Gylseth B *et al*

N

Nagarajah C R *see* Rushton L *et al*
Negrin P *see* Corsi G *et al*
Nethercott J R, Jakubovic H R, Pilger C, and Smith J W: Allergic contact dermatitis due to urethane acrylate in ultraviolet cured inks, 241
Neuropsychological effects of solvent exposure, Symposium, London, 1982, notice, 356
Newhouse M L *see* Berry G and Newhouse M L
Nickel-cadmium battery workers, mortality study by method of regression models in life tables, 293
Niculescu T, Dumitru R, Botha V, Alexandrescu R, and Manolescu N: Relationship between the lead concentration in hair and occupational exposure, 67
Nielsen C J *see* Kirkby H *et al*
Nielsen V K *see* Kirkby H *et al*
Niemi M-L *see* Hemminki K *et al*
Niewola Z *see* Davies G E *et al*
Nishikawa Y *see* Fukumoto K *et al*
Niskanen T *see* Wickström G *et al*
Notices:
Conference on Epidemiology in Occupational Health, Third, Singapore, September, 1983, notice, 236
Industrial Injuries Advisory Council and Occupational Lung cancer, 236
Fourth International Congress on Industrial and Environmental Neurology, September 1984, Prague, 474
International Conference on Organic Solvent toxicity, Stockholm, October 1984, 236
International Congress on Occuptional Health, 21st, September 1984, 98
Rene Barthe prize, 1984, 236

O

Occupational hazard caused by single cell protein, 212
—— —— evaluating, using information known only to employers, comparative study, 346
Oil distribution centres, Britain, epidemiological survey, 330
Oldham P D: Pneumoconiosis in Cornish china clay workers, 131
—— *see also* Cotes J E *et al*
Olin R *see* Vågerö D and Olin R
Ono Y *see* Takeuchi Y *et al*
Optical manufacturing industry, cancer risks, 177
O'Riordan M C *see* Fry F A *et al*
Orthocresol excretion and urinary hippuric acid during experimental exposure to toluene, 470
Ott M G *see* Bond G G *et al*
Outhred K G *see* Leigh J *et al*

P

Pacemarker function tested in two electricity substation workers, 462
Parkes W R *see* Soutar C A *et al*
Particle retention in air-spaces of human lungs, mathematical model, 121
Pedestal grinding and vibration syndrome, 426
Perbellini L *see* Brugnone F *et al*
Perchlorethylene causing industrial gassing poisoning, 1961-1980, 450
Peripheral circulation in vibration syndrome, 434
—— nerve, effects of lead exposure on, cynomolgus monkey, 402
—— neuropathy, chronic, in workers with previous exposure to carbon disulphide, 209
Petrie A *see* McCallum R I *et al*
Petronio L and Bovenzi M: Byssinosis and serum IgE concentrations in textile workers in an Italian cotton mill, 39
Phillips D A *see* Davies G E *et al*
Picotti G *see* Corsi G *et al*
Pilger C *see* Nethercott J R *et al*
Pincator M *see* Hassler E *et al*
Pneumoconiosis, coalworkers', lung mechanics in relation to radiographic category, 28
—— —— prevalence and relation to underground exposure of radiological irregular opacities, 169
—— emphysema and chronic bronchitis, quantified pathology, 258

—— in Cornish china clay workers, 131
—— mica, two cases, 22
Poisonings, gassings, due to industrial solvents, 450
Polyurethanes, amines as possible causative agents in development of bronchial hyperreactivity in workers manufacturing, 251
POTTER A M *see* BLANK C E *et al*
Printing works, exposure to isopropanol 160
Pulmonary clearance of UICC amosite fibres inhaled by rats, overload hypothesis, 264
PURSER D A, BERRILL K R, and MAJEED S K: Effects of lead exposure on peripheral nerve in the cynomolgus monkey, 402
PYYKKÖ I *see* FUTATSUKA M *et al*
STARCK J *et al*

R

Radon daughter exposure and lung cancer in underground miners, quantitative aspects, 182
—— decay products in mining, skeletal lead-210 as an index of exposure to, 58
Reproductive selection mechanisms and spontaneous abortions, rubber and leather industry, Finland, 81
RIBAUPIERRE Y DE, *see* DE RIBAUPIERRE Y
RIIHIMÄKI H *see* WICKSTRÖM G *et al*
ROBERTSON S M *see* WILSON H K *et al*
Rubber and leather industry, spontaneous abortion and reproductive selection mechanisms, Finland, 81
RUSHTON L and ALDERSON M R: Epidemiological survey of oil distribution centres in Britain, 330
—— —— and NAGARAJAH C R: Epidemiological survey of maintenance workers in London Transport Executive bus garages and Chiswick Works, 340
RYLANDER R *see* LUNDHOLM M and RYLANDER R

S

SAKAI T, YANAGIHARA S, KUNUGI Y, and USHIO K: Mechanisms of ALA-D inhibition by lead and of its restoration by zinc and dithiothreitol, 61
SAUNDERS M J *see* COCKCROFT A *et al*
SCHORK A *see* FALCK F Y *et al*
Scrotal cancer, brief history, 390
Sewage workers, work related symptoms, 325
SHIOMI S *see* MIYASHITA K *et al*
Silicosis, complement factors in workers exposed to, gold miners, 111
Single cell protein as an occupational hazard, 212
SJÖGREN B, LUNDBERG I, and LIDUMS V: Aluminium in the blood and urine of industrially exposed workers, 301
Skeletal fluorosis, reversibility, 456
SKIDMORE J W and DUFFICY B L: Environmental history of a factory producing friction material, 8
SMERDON G R *see* FAWCETT F J *et al*
SMITH J W *see* NETHERCOTT J R *et al*
SMITH P J, LANGOLF G D, and GOLDBERG J: Effects of occupational exposure to elemental mercury on short term memory, 413
SMITH R G *see* FALCK F Y *et al*
SMITH T J *see* WANG J-D *et al*
SMITH-BRIGGS J L *see* FRY F A *et al*
SMITHER W J *see* BROWNE K and SMITHER W J
Solder, soft distribution of lead in body fluids after ingestion, 51
Solvents, industrial, poisonings due to trichlorethylene, perchlorethylene and 1-1-1 trichloroethane, 1961-1980, 450
SORAHAN T and WATERHOUSE J A H: Mortality study of nickel-cadmium battery workers by the method of regression models in life tables, 293
SOUTAR C A, COUTTS I, PARKES W R, DODI I A, GAULD S, CASTRO J E, and TURNER-WARWICK M: Histocompatibility antigens in coal miners with pneumoconiosis, 34
Stainless steel manual metal arc welding fumes, rats, 229
STARCK J, FÄRKKILÄ M, AATOLA S, PYYKKÖ I, and KORHONEN O: Vibration syndrome and vibration in pedestal grinding, 426
STARCK J P *see* FUTATSUKA M *et al*
STEDINGK L-V VON, *see* VON STEDINGK L-V
Styrene, antipyrine clearance during occupational exposure, 224
—— vapour, effect of alcohol on kinetics of mandelic acid excretion after exposure, 75
SUGIURA Y *see* TAKEUCHI Y *et al*
Symposium on work related disease, June 1984, notice, 356

T

TAKEUCHI Y, ONO Y, HISANAGA N, IWATA M, AOYAMA M, KITOH J, and SUGIURA Y: An experimental study of the combined effects of *n*-hexane and methyl ethyl ketone, 199
TEASDALE E L *see* DAVIES G E *et al*
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD), medical and morbidity surveillance finding among employees potentially exposed to, 318
—— survey of subjects ten years later, 116
Textile manufacture, dust exposure and mortality, chrysotile 361
——amosite and crocidolite, 368
THOMPSON A V *see* DAVIES G E *et al*
THOMSEN G *see* GRANDJEAN P and THOMSEN G
Tobacco consumption and asbestos exposure in lung cancer, 3 year prospective study, 380
Toluene, antipyrine clearance during experimental and occupational exposure to, 466
—— urinary hippuric acid and orthocresol excretion during experimental exposure, 470
Tremors, hand, *see* Hand tremor
Trichlorethylene causing industrial gassing poisoning, 1961-1980, 450
1-1-1 Trichloroethane causing industrial gassing poisoning, 1961-1980, 450
Trichlorophenol, 2,4,5-, investigations for genotoxic effects after exposure, 87
TURNER-WARWICK M *see* SOUTAR C A *et al*

U

Ultraviolet cured inks, allergic contact dermatitis in workers exposed to, 241
Uranium miners, quantitative aspects of radon daughter exposure and lung cancer, 182
Urethane acrylate in ultraviolet cured inks causing allergic contact dermatitis, 241
USHIO K *see* SAKAI T *et al*

V

VAARANEN V *see* KALLIOMÄKI P-L *et al*
VÅGERÖ D and OLIN R: Incidence of cancer in the electronics industry: using the new Swedish Cancer Environment Registry as a screening instrument, 188
VAINIO H *see* HEMMINKI K *et al*
Vibration syndrome, blood pressure, flow, and peripheral resistance of digital arteries, 434
—— —— epidemiological study, total hand-tool operating time, 92
—— —— and vibration in pedestal grinding, 426
VIGANDER T *see* LANGÅRD S and VIGANDER T
VINCENT J H *see* BOLTON R E *et al*
VON STEDINGK L-V *see* EKENVALL L *et al*

W

WALDRON H A: A brief history of scrotal cancer, 390
—— *see also* WILSON H K *et al*
WALFORD J *see* WILLIAMS M K *et al*
WANG J-D, WEGMAN D H, and SMITH T J: Cancer risks in the optical manufacturing industry, 177
WANNAG A *see* GYLSETH B *et al*

Waris P *see* Wickström G *et al*
Warwick M Turner- *see* Turner-Warwick M
Wass U *see* Belin L *et al*
Wasserman J *see* Ekenvall L *et al*
Waterhouse J A H *see* Sorahan T and Waterhouse J A H
Wegman D H *see* Wang J-D *et al*
Welding fumes, stainless steel manual metal arc, rats, 229
Wickström G, Hänninen K, Mattsson T, Niskanen T, Riihimäki H, Waris P and Zitting A: Knee degeneration in concrete reinforcement workers, 216
Wiles A N *see* Leigh J *et al*
Williams M K, Walford J, and King E: Blood lead and the symptoms of lead absorption, 285
Wilson H K, Robertson S M, Waldron H A, and Gompertz D: Effect of alcohol on the kinetics of mandelic acid excretion in volunteers exposed to styrene vapour, 75
Wingfield R *see* Hay R J *et al*
Woolley A J *see* McDonald A D *et al*
Woolley V *see* McCallum R I *et al*

Y

Yanagihara S *see* Sakai T *et al*
Yeates D B *see* Gerrity T R *et al*

Z

Ziem G: Tetrachlorodibenzodioxin: notes and miscellanea, 116
Zinc, and dithiothreitol and mechanisms of ALA-d inhibition by lead, 61
Zitting A *see* Wickström G *et al*
Zuskin E, Duncan P G, and Douglas J S: Pharmacological characterisation of extracts of coffee dusts, 193